

Topic 7

1. Defining and using pointers
2. Arrays and pointers
3. C and C++ strings
4. Dynamic memory allocation
5. Arrays and vectors of pointers
6. Problem solving: draw a picture
7. Classes of objects
8. Pointers and objects

Classes: User-defined Mixed Data Types

- To group values of a single type together under a shared name, use an array
- To group different types together with one name, use an object of a class (a structured type)
 - Like arrays, pointers prove quite useful with class type objects
- Define a class type with the `class` reserved word:

```
class StreetAddress //has 2 members {
public:
    int house_number; //first member
    string street_name;
};

StreetAddress white_house; //defines an object of this class

// You use the "dot notation" to access members
white_house.house_number = 1600;
white_house.street_name = "Pennsylvania Avenue";
```

Objects: Assignment, but No Comparisons

Use the = operator to assign one class type object's value to another. All members are assigned simultaneously.

```
StreetAddress dest;  
dest = white_house;
```

is equivalent to

```
dest.house_number = white_house.house_number;  
dest.street_name = white_house.street_name;
```

However, you cannot compare two objects for equality.

```
if (dest == white_house) // Error
```

You must compare individual members to compare the whole object:

```
if (dest.house_number == white_house.house_number  
&& dest.street_name == white_house.street_name) //Ok
```

Object Initialization

- Objects of class types can be initialized when defined, similar to array initialization:

```
class StreetAddress {  
public:  
    int house_number;  
    string street_name;  
};
```

```
StreetAddress white_house = {1600,  
"Pennsylvania Avenue"}; // initialized
```

The initializer list must be in the same order as in the class definition.

Functions and class

Class type objects can be function arguments and return values.

For example:

```
void print_address(StreetAddress address)
{
    cout << address.house_number << " " <<
        address.street_name;
}
```

A function can return a class instance. For example:

```
StreetAddress make_random_address()
{
    StreetAddress result;
    result.house_number = 100 + rand() % 100;
    result.street_name = "Main Street";
    return result;
}
```


Arrays of Objects

You can put objects into arrays. For example:

```
StreetAddress delivery_route[ROUTE_LENGTH];  
delivery_route[0].house_number = 123;  
delivery_route[0].street_name = "Main Street";
```

You can also access an object's value in its entirety, like this:

```
StreetAddress start = delivery_route[0];
```




Objects with Array Members

Objects of class types can contain arrays. For example:

```
class MonthlyTemperatures {  
public:  
    string location;  
    double values[12];  
};
```

To access an array element, first select the array member with the dot notation, then use brackets:

```
MonthlyTemperatures death_valley_noon;  
death_valley_noon.values[2] = 82;
```



Nested Objects

A class can have a member that is an object of another class. For example:


```
class Person {  
public:  
    string name;  
    StreetAddress work_address;  
}
```

You can access the nested member in its entirety, like this:

```
Person theodore;  
theodore.work_address = white_house;
```

To select a member of a member, use the dot operator twice:

```
theodore.work_address.street_name =  
"Pennsylvania Avenue";
```



Practice It:

Write the code snippets to:

1. Declare an object "a" of class `StreetAddress`.
2. Set it's house number to 2201.
3. Set the street to "C Street NW".

Objects of programmer-defined class types have a "HAS A" relationship with their data members. Objects "have" their data members. Those data members, in turn, have values.

Primitive objects (variables): `int`, `float`, etc., on the other hand, only have a single value.

Soon we will learn other things, of which objects of class types are capable.

Topic 8

1. Defining and using pointers
2. Arrays and pointers
3. C and C++ strings
4. Dynamic memory allocation
5. Arrays and vectors of pointers
6. Problem solving: draw a picture
7. Classes of Objects
8. Pointers and Objects

Object Pointers for Dynamic Allocation

As with all dynamic allocations, you use the `new` operator:

```
StreetAddress* address_pointer = new StreetAddress;
```

The following is incorrect syntax for accessing a member of the object:

```
*address_pointer.house_number = 1600; // Error
```

...because the dot operator has a higher precedence than the `*` operator. That is, the compiler thinks that you mean `house_number` is itself a pointer:

```
*(address_pointer.house_number) = 1600; // Error
```

Instead, you must first apply the `*` operator, then the dot:

```
(*address_pointer).house_number = 1600; // OK
```

Because this is such a common situation, an arrow operator `->` exists to show `class` member access via a pointer:

```
address_pointer->house_number = 1600; // OK - use this
```

Classes with Pointer Members

Objects may need to contain pointer members. For example,

```
class Employee {
public:
    string name;
    StreetAddress* office;
};
// defining 2 accounting employees:
StreetAddress accounting;
accounting.house_number = 1729;
accounting.street_name = "Park Avenue";
Employee harry;
harry.name = "Smith, Harry";
harry.office = &accounting;
Employee sally;
sally.name = "Lee, Sally";
sally.office = &accounting;
```




Figure 16 Two Pointers to a Shared Structure

Classes and Pointers: Complete Code Example, Part 1

```
// sec08/streets2.cpp
#include <iostream>
#include <string>
using namespace std;

class StreetAddress {
public:
    int house_number;
    string street_name;
};

class Employee {
public:
    string name;
    StreetAddress* office;
};

void print_address(StreetAddress address) {
    cout << address.house_number << " " << address.street_name;
}
```

Structures and Pointers: Complete Code Example, Part 2

```
void print_employee(Employee e)
{
    cout << e.name << " working at ";
    print_address(*e.office);
}

int main()
{
    cout << "A dynamically allocated object" << endl;
    StreetAddress* address_pointer = new StreetAddress;
    address_pointer->house_number = 1600;
    address_pointer->street_name = "Pennsylvania
Avenue";
    print_address(*address_pointer);
    delete address_pointer;
    cout<<endl<< "Two employees in the same office"
<<endl;
    StreetAddress accounting;
    accounting.house_number = 1729;
    accounting.street_name = "Park Avenue";
```

Classes and Pointers: Complete Code Example, Part 3

```
Employee harry;  
harry.name = "Smith, Harry";  
harry.office = &accounting;
```

```
Employee sally;  
sally.name = "Lee, Sally";  
sally.office = &accounting;
```

```
cout << "harry: ";  
print_employee(harry);  
cout << endl;
```

```
cout << "sally: ";  
print_employee(sally);  
cout << endl;
```

Classes and Pointers: Complete Code Example, Part 4

```
cout << "After accounting office move" << endl;  
accounting.house_number = 1720;
```

```
cout << "harry: ";  
print_employee(harry);  
cout << endl;  
cout << "sally: ";  
print_employee(sally);  
cout << endl;  
return 0;
```

```
}
```


Chapter Summary, Part 1

Define and use pointer variables.

- A pointer denotes the location of a variable in memory.
- The type T^* denotes a pointer to a variable of type T .
`int* p = nullptr; // can point to an int`
- The `&` operator yields the location of a variable.
`int i = 0;`
`int* p = &i; // p points to i`
- The `*` operator accesses the variable to which a pointer points.
`cout << p; // prints value of i, pointed to by p`
- It is an error to use an uninitialized pointer.
- The `nullptr` pointer does not point to any object.
 - Please initialize unknown pointers to `nullptr`

Chapter Summary, Part 2

Understand the relationship between arrays and pointers in C++.

- The name of an array variable is a pointer to the starting element of the array.
- Pointer arithmetic means adding an integer offset to an array pointer, yielding a pointer that skips past the given number of elements.
- The array/pointer duality law:
 - $a[n]$ is identical to $*(a + n)$, where a is a pointer into an array and n is an integer offset.
- When passing an array to a function, only the starting address is passed.

```
printf(a); //prints array a
```

Chapter Summary, Part 3

Use C++ `string` objects with functions that process character arrays

- A value of type `char` denotes an individual character. Character literals are enclosed in single quotes.
- A literal string (enclosed in double quotes) is an array of `char` values with a zero terminator.
- Many library functions use pointers of type `char*`.
- The `c_str` member function yields a `char*` pointer from a `string` object.

```
string s = "This is a C++ string object";
```

```
char arr[] = s.c_str(); //copies C++ string to C-string
```

- You can initialize C++ `string` variables with C strings.

```
string t = arr; //copies C-string to C++ string
```
- You can access characters in a C++ `string` object with the `[]` operator.

Chapter Summary, Part 4

Allocate and deallocate memory in programs whose memory requirements aren't known until run time.

- Use dynamic memory allocation if you do not know in advance how many values you need.
- The `new` operator allocates memory from the free store.

```
int* p = new int[50]; // allocate array of 50
ints
```
- You must reclaim dynamically allocated objects with the `delete` or `delete[]` operator.

```
delete[] p; //done using our int array pointed
to by p
p = nullptr; //set p to nullptr to avoid
dangling pointer usage
```
- Using a dangling pointer (a pointer that points to memory that has been deleted) is a serious programming error.
- Every call to `new` should have a matching call to `delete`.

Chapter Summary, Part 5

Work with arrays of pointers.

- Draw diagrams for visualizing pointers and the data to which they point.
 - Draw the data that is being processed, then draw the pointer variables. When drawing the pointer arrows, illustrate a typical situation.

Use classes to aggregate data items.

- An object of a class combines member values into a single value.
- Use the dot notation to access members of an object.

```
Streetaddress home;  
home.house_number = 1234;
```

- When you assign one object value to another, all members are assigned.

Work with pointers to objects.

- Use the -> operator to access an object member through a pointer

```
Streetaddress* p = new Streetaddress;  
p->house_number = 1234;
```